



# DECLARATION OF PERFORMANCE

REGULATION OF THE EUROPEAN PARLIAMENT AND COUNCIL (EU) No. 305/2011  
(+Commission Regulation No. 575/2014)



No.: 12/2018/03

1. Unique identification code of the product type:	<b>KKV-N, KKV-P</b>
2. Intended use or intended uses	Ceramic chimney flue liner Chimney flue liners operating under dry conditions (EN 1457-1) Chimney flue liners operating under wet conditions (EN 1457-2)
3. Manufacturer	<b>P-D Refractories CZ a.s.</b> <b>Nádražní 218, 979 63 Velké Opatovice, CZ</b> <b>Division 03 - Svitavy</b>
4. System or systems of assessment and verification of stability of properties of a construction product	<b>2+</b>
5. Harmonised norm	<b>EN 1457-1:2012, EN 1457-2:2012</b>
6. Name and identification number of the notified body	Notified body No. <b>1020</b> - <b>Technical and Test Institute for Construction Prague, s.p.</b> , Prosecká 811/76a, 190 00 Prague

## Declared properties

Basic properties	Property	
	EN 1457-1	EN 1457-2
Gas permeability after thermal shock test (9.2.2)	<b>A1 N1 (T600 N1 D 3)</b>	<b>A4 N1 (T600 N1)</b> <b>B4 P1 (T400 P1)</b> (Type KKV-P)
Flow resistance (13)	<b>0,0015 m</b> (pursuant to EN 13384-1)	
Thermal resistance (14)	<b>0,01 m<sup>2</sup>KW<sup>-1</sup></b>	
Fire resistance / Gas permeability after soot burns (9.2.1)	<b>G</b>	<b>O</b>
Strength under pressure (8)	<b>≥ 10 MN/m<sup>2</sup></b>	
Acid resistance / Corrosion resistance (10.1)	<b>≤ 2 %</b>	
Frost resistance (10.2)	<b>compliant - 25 cycles</b>	
Abrasion resistance (12)	<b>≤ 0,03 kg/m<sup>3</sup></b>	
Durability / Condensation resistance (13)		<b>WA 3</b>
Hazardous substances	<b>compliant</b>	

Properties of the aforementioned products comply with the set of declared properties.

This declaration about properties is issued, in compliance with the provision (EU) No. 305/2011, at the exclusive responsibility of the manufacturer stipulated above.

Repair of DoP no. 12/2017/03

Signed on behalf of the manufacturer and in his name:

Ing. Milan Mazura – Quality Manager

(name and position)

Velké Opatovice, 03.09.2018